

## Homework No. 02 (Fall 2023)

### PHYS 205B: UNIVERSITY PHYSICS

*School of Physics and Applied Physics, Southern Illinois University–Carbondale*

Due date: Tuesday, 2023 Sep 12, 9:30 AM, on D2L

### Instructions

- You are encouraged to use any of the resources to complete this homework. However, the extent to which you depend on resources while doing homework is usually a measure of how much extra work you need to put in to master the associated concepts. Solutions should be the last resource.
- Describe your thought process in detail and organize it clearly. Make sure your answer has units and the right number of significant digits.
- After completion, scan the pages as a single PDF file, and submit the file on D2L (under Assessments → Assignments).

### Problems

1. (**10 points.**) Consider a thin conducting spherical shell of radius  $a = 1.0$  cm with a total charge of  $Q = 3.0$  nC (distributed uniformly) on its surface. The electric field due to such a spherical charge distribution is given by

$$\mathbf{E} = \begin{cases} 0, & \text{if } r < a \text{ (inside),} \\ \hat{\mathbf{r}} \frac{kQ}{r^2}, & \text{if } a < r \text{ (outside).} \end{cases} \quad (1)$$

- (a) Find the electric field 0.5 cm from the center of the charge distribution.
- (b) Find the electric field 2.0 cm from the center of the charge distribution.

### Solution

2. (**10 points.**) Consider a configuration consisting of two charged concentric spherical shells of radius  $a$  and  $b$  with charges  $Q_a$  and  $Q_b$ , respectively. Let us have  $a < b$ . Given  $a = 1.0$  cm,  $b = 3a$ ,  $Q_a = +1.0$  nC, and  $Q_b = -3.0$  nC.
  - (a) Determine the expression for the electric field in region  $r < a$ . Determine the magnitude and direction of the electric field at  $r = 0.25$  cm.
  - (b) Determine the expression for the electric field in region  $a < r < b$ . Determine the magnitude and direction of the electric field at  $r = 2.0$  cm.

- (c) Determine the expression for the electric field in region  $b < r$ . Determine the magnitude and direction of the electric field at  $r = 4.0$  cm.

**Solution**

3. (10 points.) A large, flat, horizontal sheet of dielectric material has a charge per unit area of  $2.30 \mu\text{C}/\text{m}^2$ . Find the electric field just above the middle of the sheet.

**Hints:** Use

$$\vec{\mathbf{E}} = \hat{\mathbf{n}} \frac{\sigma}{2\epsilon_0}. \quad (2)$$

**Solution**

4. (10 points.) A large, flat, horizontal sheet of conducting material has a charge per unit area of  $8.85 \mu\text{C}/\text{m}^2$ . Find the electric field just above and below the middle of the sheet.

**Hints:** Use

$$\vec{\mathbf{E}} = \hat{\mathbf{n}} \frac{\sigma}{\epsilon_0}. \quad (3)$$

**Solution**

5. (5 points.) A spherical thin conducting shell of radius  $a$  has a positive charge  $+Q$  on it. Another concentric spherical thin conducting shell of radius  $b > a$  has a negative charge  $-Q$  on it. Draw the electric field lines for this configuration. The diagram should illustrate the magnitude and direction of the field everywhere.




Figure 1: Problem 5

**Solution**

6. (10 points.) Consider a region of uniform electric field

$$\vec{\mathbf{E}} = (1.0\hat{\mathbf{i}} + 2.0\hat{\mathbf{j}}) \times 10^3 \frac{\text{N}}{\text{C}}. \quad (4)$$

Calculate the electric flux through a rectangular plane 0.40 m wide and 0.20 m long if the plane is parallel to the  $yz$  plane.

**Solution**

7. (10 points.) A charge of  $105\ \mu\text{C}$  is at the center of a cube of edge 75.0 cm. No other charges are nearby.

- Find the flux through each face of the cube.
- Find the flux through the whole surface of the cube.
- Would your answers to parts (a) or (b) change if the charge were not at the center?

**Solution**

8. (10 points.) Charges are placed on the  $z = 0$  plane such that it forms a square lattice of




Figure 2: Problem 8

length  $a$  that extends to infinity in the plane. Refer Figure 2. The charge on each lattice point has a magnitude of  $17.7 \times 10^{-12}\ \text{C}$ . Determine the electric flux through the surface  $G$  of a sphere of radius  $R = 1.7a$  shown in Figure 2.

**Solution** [2021 Fall, MT-01, Problem 9]

9. (10 points.) A point charge  $Q$  sits at the center of a charged spherical shell of radius  $R$  with charge  $Q'$  uniformly distributed on its surface. Using Gauss's law find the expression for electric field inside and outside the spherical shell.

**Solution** [2021 Fall, MT-01, Problem 10]