

Homework No. 02 (Fall 2023)

PHYS 500A: MATHEMATICAL METHODS

School of Physics and Applied Physics, Southern Illinois University–Carbondale

Due date: Friday, 2023 Sep 8, 4.30pm

1. (20 points.) Verify the following identities:

$$\nabla r = \frac{\mathbf{r}}{r} = \hat{\mathbf{r}}, \quad (1a)$$

$$\nabla \mathbf{r} = \mathbf{1}. \quad (1b)$$

Further, show that

$$\nabla \cdot \mathbf{r} = 3, \quad (2a)$$

$$\nabla \times \mathbf{r} = \mathbf{0}. \quad (2b)$$

Here r is the magnitude of the position vector \mathbf{r} , and $\hat{\mathbf{r}}$ is the unit vector pointing in the direction of \mathbf{r} .

2. (20 points.) Evaluate the left hand side of the equation

$$\nabla(\mathbf{r} \cdot \mathbf{p}) = a \mathbf{p} + b \mathbf{r}, \quad (3)$$

where \mathbf{p} is a constant vector. Thus, find a and b .

3. (20 points.) Evaluate

$$\nabla \cdot \left(\frac{\mathbf{r}}{r^3} \right), \quad (4)$$

everywhere in space, including $\mathbf{r} = \mathbf{0}$.

Hint: Check your answer for consistency by using divergence theorem.

4. (20 points.) Evaluate

$$\nabla \left(\frac{\mathbf{p} \cdot \mathbf{r}}{r^3} \right), \quad (5)$$

where \mathbf{p} is a constant vector.

5. (20 points.) Consider the distribution

$$\delta(x) = \lim_{\varepsilon \rightarrow 0} \frac{1}{\pi} \frac{\varepsilon}{x^2 + \varepsilon^2}. \quad (6)$$

Show that

$$\delta(x) \begin{cases} \rightarrow \infty, & \text{if } x = 0, \\ \rightarrow 0, & \text{if } x \neq 0. \end{cases} \quad (7)$$

Further, show that

$$\int_{-\infty}^{\infty} dx \delta(x) = 1. \quad (8)$$

Plot $\delta(x)$ before taking the limit $\varepsilon \rightarrow 0$ and identify ε in the plot.

6. **(10 points.)** A uniformly charged infinitely thin disc of radius R and total charge Q is placed on the x - y plane such that the normal vector is along the z axis and the center of the disc at the origin. Write down the charge density of the disc in terms of δ -function(s). Integrate over the charge density and verify that it returns the total charge on the disc.
7. **(10 points.)** An (idealized) infinitely long wire, (on the z -axis with infinitesimally small cross sectional area,) carrying a current I can be mathematically represented by the current density

$$\mathbf{J}(\mathbf{x}) = \hat{\mathbf{z}} I \delta(x)\delta(y). \quad (9)$$

A similar idealized wire forms a circular loop and is placed on the xy -plane with the center of the circular loop at the origin. Write down the current density of the circular loop carrying current I .